

Appendix B Index

--OTA 1990//WSD Old English entities//EN
(file), 602

<%version>, 991

a, 367

a-class, 50

a-dot entities., 50

a.analysis (pe), 51

a.global (pe), 27, 28, 645

a.global; (pe), 51

a.linking (pe), 51

a.names (class), 50

a.terminology (pe), 51

ab, 126, 371, 372, 376, 719, 1061, 1062

<ab>, 719

abbr, 145--147, 445, 458, 459, 472, 498, 720, 808

<abbr>, 719

abbr, 145, 455, 807

absent, 875

absolute, 381, 995

absolute temporal expression, 512

abstract, 208

abstract character, 67

accepting, 629

ack, 208

active, 562

active, 556, 562, 848, 927

<activity>, 721

actor, 241, 748

<actor>, 721

acyclic, 518

add, 148, 152, 153, 461--466, 471, 472, 476, 722,
725

<add>, 722

Additional Element Set for Certainty and
Responsibility (fpi), 1007

Additional Element Set for Feature Structure
Annotation (fpi), 1008

Additional Element Set for Graphs, Networks, and
Trees (fpi), 1009

Additional Element Set for Language Corpora
(fpi), 1007

Additional Element Set for Linking,
Segmentation, and Alignment (fpi),
1008

Additional Element Set for Names and Dates (fpi),
1008

Additional Element Set for Simple Analysis (fpi),
1007

Additional Element Set for Tables, Formulae, and
Graphics (fpi), 1008

Additional Element Set for Text-Critical
Apparatus (fpi), 1009

Additional Element Set for Transcription of
Primary Sources (fpi), 1009

additional tag sets, 4, 36, 39

additional tagsets, 79

additions

supralinear, 152

addName, 503, 933

<addName>, 723

address, 140, 180, 184, 577, 581

<address>, 723

addressees, 557, 848

addressors, 556, 848

<addrLine>, 724

addrPart, 667

addrPart (class), 60, 140

addSpan, 152, 462--464, 726, 1061

<addSpan>, 725

adj, 518, 882

adjacent, 517

adjacent from, 517

adjacent to, 517

adjFrom, 518, 882

adjTo, 518, 882

admin, 324, 329, 706, 727

<admin>, 726

admin type='responsibility', 330

affiliation, 579

<affiliation>, 728

after, 88, 118, 179, 300, 327, 511, 512, 770, 773

age, 560, 904, 905

agent, 667

agent, 457, 468, 473, 474, 768, 829, 959, 987

agent (class), 60

alignment, 343, 373

all (var), 264

allograph, 821

alt, 349, 388, 389, 391--393, 424, 426, 427, 442,
445, 693, 729, 754

<alt>, 728

alternants, 388

altGrp, 388, 392, 393

<altGrp>, 729

ana, 667

analysis, 395, 667

analysis, 667

analytic, 54, 176, 177, 183, 577, 730, 979

<analytic>, 730

analytic level

bibliographic, 173, 174
 anchor, 91, 160, 267, 272, 274, 286, 308, 319,
 327, 369, 373, 374, 378, 380, 402, 447,
 448, 461--463, 495, 674, 725, 753, 777,
 886, 1061, 1062
 <anchor>, 731
 anchored, 91, 160, 286, 308, 326, 885
 annotation, 640
 anonb, 369
 anthology, 16, 17, 19
 anthropophonic (feature), 262
 any, 428, 429, 431, 434, 436, 610
 <any>, 731
 any/, 436
 apostrophe
 functions, 128
 app, 449, 453, 460, 464--466, 482, 483, 486, 487,
 493--498, 1062
 <app>, 732
 app1, 885, 997
 app2, 885, 997
 apparatus entries, 482
 appendix, 213
 approx, 88, 118, 179, 300, 327, 511, 512, 770, 773
 arc, 517, 519--521, 733, 835
 <arc>, 733
 architectural forms, 44
 arcs, 517
 argument, 198, 201, 1062
 <argument>, 733
 arity, 527
 arity, 526, 983
 article, 405
 assertedValue, 447, 753
 atomic, 406
 att, 925
 <att>, 734
 attDef, 619, 621--623, 735, 736
 <attDef>, 734
 attlDecl, 620
 <attlDecl>, 735
 attList, 620--622, 624, 1013
 <attList>, 735
 attName, 622
 <attName>, 736
 attribute-value pairs, 22, 395
 attribute list specification, 22
 attributes, 22
 author, 84, 177, 178, 184, 445, 576, 577, 581
 <author>, 736
 authority, 577, 581
 <authority>, 736
 authority, 668
 aux, 31
 auxiliary, 77
 Auxiliary Document Type: Feature System
 Declaration (fpi), 1008
 Auxiliary Document Type: Independent TEI
 Header (fpi), 1009
 Auxiliary Document Type: Tag Set
 Documentation (fpi), 1009
 Auxiliary Document Type: Writing System
 Declaration (fpi), 1009
 auxiliary document types, 4
 auxiliary DTDs, 35
 availability, 577, 581, 1062
 <availability>, 737
 back, 192, 193, 195, 213, 214, 221, 236, 333, 350,
 380
 <back>, 737
 Back Matter (fpi), 1007
 bag, 409
 bags, 421
 base components, 592
 Base Element Set for Drama 2001-12 (fpi), 1008
 Base Element Set for Mixed Text Types (fpi),
 1008
 Base Element Set for Print Dictionaries (fpi), 1007
 Base Element Set for Prose (fpi), 1009
 Base Element Set for Terminological Data (fpi),
 1009
 Base Element Set for Transcriptions of Speech
 (fpi), 1009
 Base Element Set for Verse (fpi), 1009
 baseform, 396, 871
 baseStandard, 592
 baseStandard, 668
 base tag sets, 4, 36
 baseType, 608, 825
 baseWsd, 592, 594, 820, 860
 <baseWsd>, 738
 bd, 47
 before, 88, 118, 179, 300, 327, 511, 512, 770, 773
 bibl, 53, 95, 171, 172, 174, 177, 182, 183, 208,
 324, 332, 576, 641
 <bibl>, 739
 bibl, 668
 bibl (class), 53, 55, 641
 biblFull, 53, 94, 95, 171, 172, 182, 183, 324, 332,
 577, 641
 <biblFull>, 739
 bibliogr, 213
 bibliographic pointers, 171
 bibliographic references, 171

- analytic level, 173
- monographic level, 173
- series level, 173
- biblPart, 739
- biblPart**, 669
- biblPart (class), 60
- biblScope, 181, 183
- <**biblScope**>, 740
- biblStruct, 53, 95, 170--172, 174, 175, 177, 182, 183, 332, 576, 577, 582, 641, 730, 876
- <**biblStruct**>, 741
- bicond, 612, 613, 844
- <**bicond**>, 742
- binary, 409, 527
- binary**, 669
- binary values, 410
- <**birth**>, 742
- birthDate, 579
- birthPlace, 579
- blank, 19
- bloc, 505, 506, 766
- <**bloc**>, 742
- blort, 16
- blortette, 16
- body, 32, 165, 191--193, 195, 221, 236, 280, 333, 350, 493, 554
- <**body**>, 743
- boolean, 409
- boolean**, 669
- boolean value, 428
- broadcast, 95, 96, 578, 582
- <**broadcast**>, 743
- byLine, 1062
- byline, 199, 200, 211, 792, 1062
- <**byline**>, 744
- c, 398, 399, 441, 695, 871, 994
- <**c**>, 744
- ca., 88, 118, 179, 300, 327, 511, 512, 770, 773
- caesura, 221, 227
- <**caesura**>, 745
- calendar, 88, 143, 179, 300, 327, 511, 512, 769, 771, 772
- callout, 545
- <**camera**>, 745
- canonical reference., 356
- canzone, 231
- <**caption**>, 746
- caput, 711
- case, 71, 285, 298, 416, 834
- <**case**>, 747
- castGroup, 242
- <**castGroup**>, 747
- castItem, 240--242, 747
- <**castItem**>, 748
- cast list, 240
- castList, 242, 1062
- <**castList**>, 748
- catalog file, 26, 34
- catDesc, 109, 558
- <**catDesc**>, 750
- category, 109, 116, 558, 561, 751, 889, 946
- <**category**>, 750
- catRef, 109, 116, 117, 579
- <**catRef**>, 751
- cause, 694
- cb, 166, 654, 751, 1062
- <**cb**>, 751
- cdata, 1024
- CDATA marked section, 28
- <**cell**>, 752
- cert, 145, 147, 148, 151, 152, 455, 456, 461, 462, 467, 474, 678, 720, 722, 725, 765, 775, 777, 808, 931, 944, 987
- certainty, 388, 445--450, 457, 473, 477, 753, 754, 775
- <**certainty**>, 753
- certainty, 88, 117, 179, 300, 327, 511, 770
- change, 117, 118, 580
- <**change**>, 755
- <**channel**>, 756
- chapter, 44
- chapter (var), 107
- ChapTwo (ge), 25
- char, 718
- character, 67, 69, 395, 594, 595, 597, 599--603, 718, 757, 807, 821
- <**character**>, 756
- character, 469, 470, 837, 838
- character code, 68
- character repertoire, 68
- character repertoires, 75
- characters, 370, 396, 591, 592
- <**characters**>, 758
- character set, 68
- chars, 587, 590, 781
- Charts, 517
- children, 526, 620
- <**children**>, 758
- children, 526, 847, 934
- chunk, 56, 243, 690
- chunk**, 669
- chunk.seq, 670
- chunk elements, 56
- chunks, 53, 126, 684

cit, 135, 199, 207, 301, 302, 798, 918, 1062
 <cit>, 758
 city, 184
 cl, 396, 397, 399, 695
 <cl>, 759
 class, 267, 624
 <class>, 759
 class, 593, 756
 classCode, 116, 117, 579
 <classCode>, 760
 classcode, 578
 classDecl, 108, 116, 578, 579, 583
 <classDecl>, 760
 classDoc, 621--624, 985
 <classDoc>, 760
 classes, 620, 624, 761
 <classes>, 761
 classification, 701
 clause, 395, 396
 clauses, 370, 396
 clean modifications, 639
 closer, 198, 200
 <closer>, 762
 code, 644
 code, 561, 889, 946
 coded character set, 68
 codedCharSet, 592, 594, 597, 599, 820
 <codedCharSet>, 762
 codedCharSet, 594, 820
 code point, 68
 code shifting, 75
 col, 763, 899
 <col>, 763
 cola, 226
 <colloc>, 763
 colophon, 213
 cols, 327, 536, 752, 962
 com98 (ge), 378
 combining, 68
 combining characters, 19
 comment, 17, 578
 commiato, 231
common, 670
 common (class), 56, 644, 761
 communications link, 647
 communicative (feature), 262
comp.dictionaries, 670
 comp.dictionaries (class), 57, 281
 comp.drama, 235
comp.drama, 670
 comp.drama (class), 57
comp.spoken, 670
 comp.spoken (class), 57, 257
comp.terminology, 671
 comp.terminology (class), 57, 333
comp.verse, 671
 comp.verse (class), 57
 compatability character, 71
complexVal, 671
 component, 54, 202, 208, 706, 707
component, 703
 component (pe), 46, 58, 59
 component-level elements, 192
component.plus, 703
component.seq, 704
 component.seq (pe), 58, 59
 components, 53, 192
 composing, 68
 composite,, 191
 composite text, 552
 composite texts, 551
 computer file, 79
 concur, 653
 Concurrent Document Type: Pages and Lines
 (fpi), 1010
 cond, 429, 610, 612, 613, 973
 <cond>, 763
 conditional marked section, 28
 conformance, 4
 connected, 518
 connector, 19
 constituent parts, 282
 constituents, 282
 <constitution>, 764
 content, 1024
 content model, 18, 19
 contents, 209
 copyOf, 685
 core, 79, 190
 Core Elements (fpi), 1007
 core tag sets, 36
 corr, 147, 148, 152, 153, 277, 455, 456, 459, 460,
 464--466, 472, 722, 765, 776, 778, 945
 <corr>, 764
 corr, 147, 455, 944
 correction, 100, 568
 <correction>, 766
 corresp, 685
 correspondence, 343, 373
 country, 505, 506, 766, 926
 <country>, 766
 couplets, 19
 crdate, 691
 creation, 114, 767

<creation>, 767
creator, 552, 968
cycle, 518
cyclic, 518
cyclic path, 518

damage, 468, 469, 473--476, 768, 776, 778, 830, 959, 987
<damage>, 767
dash
 functions, 128
dash (ge), 128
data, 537
data, 671
data (class), 53, 54, 644
dataDesc, 620
<dataDesc>, 769
data element, 323
dataType, 622
datatype, 622, 989
<datatype>, 769
date, 86, 118, 181, 184, 239, 324, 326, 383, 514, 561, 577, 580, 581, 727, 742, 793, 1062
<date>, 769
date, 672
date, 560, 587, 727, 742, 1000
date (class), 54
date.created, 552, 968
date.updated, 552, 968
dateLine, 1062
dateline, 199, 200
<dateline>, 771
dateRange, 144
<dateRange>, 771
dateStruct, 513, 514, 1062
<dateStruct>, 772
day, 512
<day>, 774
declarable, 672
declarable (class), 51
declarable elements, 566, 673
declared value, 621, 769
declaring, 568
declaring, 672
declaring (class), 51, 261, 263
decls, 673
dedication, 208
def, 284, 287, 289, 296--298, 302, 320, 982
<def>, 774
default, 409, 431, 622, 811
<default>, 774
default, 672
default map, 600

Default Text Structure (fpi), 1007
degree, 447, 473, 518, 557, 755, 768, 882, 914
del, 152, 153, 271, 462--466, 472, 475--477, 768, 775, 776, 830, 932, 959, 987, 1062
****, 775
delim, 104--107, 954, 955
delimiters, 106
delSpan, 152, 462--464, 476, 478, 775, 777, 778, 1061
<delSpan>, 776
demographic, 673
demographic (class), 60
demographics, 560
demographics (class), 560
depend, 699
depPtr, 699
derivation, 532
<derivation>, 778
derived DTD, 631
desc, 603, 620, 622, 624, 625, 779
<desc>, 779
desc, 150, 261, 262, 265, 447, 450, 456, 466, 467, 562, 754, 806, 829, 852, 854, 855, 927, 930, 931, 993
descrip, 324, 329, 330, 332, 974
<descrip>, 780
descriptive, 7
deu, 860
dft, 428, 429, 431
<dft>, 780
diachronic information, 132
diaeresis, 227
diastatic information, 132
diatopic information, 132
dictionaries, 674
dictionaries, 673, 674
dictionaries (class), 317, 319
dictionaryParts, 674
dictionaryTopLevel, 675
dictScrap, 283, 320, 321
<dictScrap>, 780
dim, 476, 949
direct, 133, 302, 916
directed, 517, 562
direction, 591, 782
<direction>, 781
directionality, 71
disconnected, 519
discontiguous flat term entries, 331
discrete, 254, 947
distance, 514, 1062
<distance>, 783

distinct, 131, 132, 817
 <**distinct**>, 783
 distributor, 88, 577, 581
 <**distributor**>, 784
 div, 38, 41, 53, 54, 58, 76, 161, 185--187, 193,
 195, 197, 199, 204, 208, 209, 224, 225,
 228, 230, 236, 243, 244, 254, 259--261,
 280, 281, 333, 359, 360, 365, 376, 474,
 568, 661, 662, 704, 708, 1014, 1015,
 1062
 <**div**>, 785
 div0, 169, 193--195, 231, 280, 281, 333, 387, 711,
 787
 <**div0**>, 787
 div1, 44, 161, 167, 169, 185, 187, 193--195, 198,
 199, 224, 228, 236, 243, 244, 254, 280,
 281, 333, 357, 359, 365, 387, 390, 663,
 711, 840
 <**div1**>, 787
 div2, 169, 193, 195, 198, 199, 225, 243, 244, 254,
 280, 357, 359, 390, 391, 663
 <**div2**>, 788
 div3, 194, 225, 254
 <**div3**>, 789
 div4, 194
 <**div4**>, 790
 <**div5**>, 790
 <**div6**>, 791
 div7, 194, 280
 <**div7**>, 791
 divbot, 198, 202
divbot, 675
 divbot (class), 60
 divGen, 161, 162, 786, 1062
 <**divGen**>, 786
 divn, 193, 194, 197, 221, 223, 224, 249, 544
divn, 675
 divn (class), 41, 51, 260, 1014, 1015
 divtop, 198, 199, 202
divtop, 676
 divtop (class), 60
 doc, 702
 docAuth, 701
 docAuthor, 744, 792, 1062
 <**docAuthor**>, 792
 docDate, 706, 1062
 <**docDate**>, 792
 docEdition, 1062
 <**docEdition**>, 793
 docImprint, 701, 1062
 <**docImprint**>, 793
 docinstance, 1024
 docTitle, 701, 1062
 <**docTitle**>, 794
 doctype, 97, 104, 925
 document instance, 16, 32
 document in TEI interchange format, 630
 document in TEI local processing format, 629
 document type, 13, 14, 16, 97, 104, 925
 document type declaration, 18, 32, 35, 637
 document type definition, 637
 <**domain**>, 794
 domain-style address, 165
 domains, 692
 double link, 345
 dramafront, 235
dramafront, 676
 dramafront (class), 60
 DTD, 18, 35
 DTD extension, 635
 DTD extensions, 629, 630, 632
 DTD fragments, 35
 DTD subset, 29, 33
 dur, 94, 568, 700, 923

 ed, 104, 107, 166, 248, 751, 861, 874, 901, 953
 edge, 517
 edges, 517
edit, 677
 edit (class), 53, 55, 454
editIncl, 677
 edition, 86, 178, 183, 184, 576, 581, 793
 <**edition**>, 795
 editionStmt, 81, 86, 87, 445, 576
 <**editionStmt**>, 795
 editor, 95, 177, 178, 182--184, 577
 <**editor**>, 796
 editorialDecl, 99, 263, 271, 493, 578, 583
 <**editorialDecl**>, 796
 editorial view, 312
 education, 579
 <**education**>, 797
 eg, 28, 289, 297, 301--303, 644, 645, 807
 <**eg**>, 797, 798
 elder siblings, 360
 eLeaf, 529, 530, 533
 <**eLeaf**>, 798
 elemcontent, 1024
 elemDecl, 620
 <**elemDecl**>, 799
 element, 16, 1024
 element-type (var), 165
 element class, 617, 623, 760
 element classes, 35, 50
 Element Classes for Critical Apparatus (fpi), 1009

Element Classes for Drama (fpi), 1008
 Element Classes for Linking, Segmentation, and Alignment (fpi), 1008
 Element Classes for Names and Dates (fpi), 1008
 Element Classes for Print Dictionaries (fpi), 1007
 Element Classes for Simple Analysis (fpi), 1007
 Element Classes for Terminological Data (fpi), 1009
 Element Classes for Transcription of Primary Sources (fpi), 1009
 Element Classes for Transcriptions of Speech (fpi), 1009
 Element Classes for Verse (fpi), 1009
 element sets, 35
 element structure information set, 363
 embedded, 16
 embedded text, 41
 embedding tree, 529
 emph, 43, 44, 130, 131, 263, 477
 <emph>, 799
 empty, 16
 empty category, 532
 encDecl, 547
 encoded character, 68
 encoding, 13
 encodingDecl, 229
 encodingDesc, 79, 94, 96, 98, 99, 102, 104, 108, 110, 111, 113, 233, 249, 266, 351, 364, 397, 449, 472, 547, 548, 575, 578, 583, 605, 606, 687, 695, 701
 <encodingDesc>, 800
 encoding description, 79
 encoding scheme, 3
 end, 700
 end-tag, 16
 eng, 860
enjamb, 678
 enjamb, 678
 enjamb (class), 51
 entDoc, 624, 625, 957, 985
 <entDoc>, 800
 entities, 15
 entity, 23, 25
 entity, 327, 543, 594, 809, 814
 entity declaration, 25
 entity file, 57
 entityLoc, 594, 820
 entity reference, 25
 entity reference., 26
 entity references, 73
 entity set, 73
 entitySet, 592, 594, 597, 820
 <entitySet>, 800
 entity sets, 26
 entityStd, 594, 820
 entName, 625
 <entName>, 801
 entries, 280
entries, 678
 entries (class), 280
 entry, 279--281, 283--285, 287, 288, 309, 320, 801, 802, 842, 922, 940
 <entry>, 801
 entryFree, 279, 280, 283, 285, 320, 321
 <entryFree>, 802
 eol, 100, 567, 843
 epigraph, 198, 201, 701, 1062
 <epigraph>, 802
 epilogue, 237, 1062
 <epilogue>, 803
 eq, 823
 equipment, 95, 578, 582
 <equipment>, 803
 equiv, 620, 624, 625
 <equiv>, 804
 escape sequences, 72
 ESIS, 363
 est (ent), 595
 est.cgm (file), 596
 est1 (ent), 602
 eTree, 529--533, 798, 984
 <eTree>, 804
 etym, 289, 299, 805
 <etym>, 805
 evaluate, 692
 event, 263, 264, 721
 <event>, 806
 eventive (feature), 262
 exact, 143, 505, 507, 512, 772, 773, 783, 977
 exception, 601
 exceptions, 592--594, 596, 597, 599--602, 762, 801
 <exceptions>, 806
 exclamation mark
 functions, 127
 exclude, 686
 exclusive alternation, 388
 exemplum, 620, 807
 <exemplum>, 807
 expan, 145--147, 455, 458, 459, 472, 497, 498, 720, 807, 808
 <expan>, 807
 expan, 145, 455, 719
 expand, 673

- extenders, 19
- extent, 87, 88, 577, 581
- <extent>, 809
- extent, 151, 290, 300, 457, 467, 473, 476, 767, 829, 896, 911, 949
- external, 493
- external entity, 25
- extFigure, 596
- <extFigure>, 809
- extPtr, 704
- extptr (pe), 51
- f, 410--413, 420--422, 424, 427, 429, 435, 436, 440, 608--610, 812, 887, 991, 994
- <f>, 810
- <factuality>, 811
- false, 428, 883
- fAlt, 424--427
- <fAlt>, 812
- farble, 16
- fDecl, 417, 423, 429, 431, 609, 610, 991
- <fDecl>, 812
- <fDescr>, 813
- feats, 410, 823
- feature, 410
- feature, 262, 267, 943
- feature-structure libraries, 412
- feature-structure library, 412
- feature-system declaration, 411
- feature-value libraries, 412
- feature libraries, 412
- features, 409
- feature structure, 409, 410
- feature structures, 110, 558
- feature system declaration, 110
- feature system declaration,, 558
- feature system declarations, 409
- featureVal, 679
- featureVal (class), 612
- feet, 226
- feminine, 414, 960
- figDesc, 544
- <figDesc>, 813
- figure, 211, 324, 368, 543--545, 603, 718, 813
- <figure>, 813, 814
- figures.ent, 544
- file-type, 87
- fileDesc, 79, 80, 82, 83, 86--88, 90, 91, 93, 96, 119, 171, 183, 565, 575, 576
- <fileDesc>, 815
- file description, 79
- files, 620
- <files>, 815
- final, 521
- finite space co-ordinates, 379
- first, 470, 837
- firstLang, 579
- <firstLang>, 816
- firstLine, 19, 20
- flat, 329
- fLib, 412, 413, 416, 426, 427
- <fLib>, 816
- floating elements, 324
- fmchunk, 680
- fmchunk (class), 60
- fmchunk (unknown), 211
- follow, 527, 847, 863
- font, 68
- Foo, 19
- foo, 19
- foreign, 130, 131, 477, 817, 1062
- <foreign>, 817
- foreName, 501, 502
- <foreName>, 818
- forest, 529, 532, 533
- <forest>, 818
- forestGrp, 529, 533
- <forestGrp>, 818
- form, 281, 284, 287--290, 292--295, 297, 320, 594, 595, 599--603, 679, 680, 757, 820, 821, 834
- <form>, 819
- form, 99, 567, 917
- formal public identifier, 25, 588
- formInfo, 679
- formPointers, 680
- formPointers (class), 55, 310
- formula, 324, 540, 704
- <formula>, 822
- formulaContent, 540, 543, 822
- formulaContent, 704
- formulaContent (pe), 540
- Formulae Notations and Contents (fpi), 1008
- formulaNotations, 543
- formulaNotations, 704
- formulaNotations (pe), 540
- fra, 860
- fragmentary, 680
- fragmentary (class), 492
- fragmentation, 653
- from, 104, 106, 143, 400, 483, 518, 702, 732, 733, 771, 950, 955, 976
- front, 192, 193, 195, 204, 208, 211, 213, 221, 236, 333, 1062
- <front>, 822

front, 681
 front (class), 60
 frontispiece, 209
 front matter, 80, 208
 Front Matter (fpi), 1007
 fs, 359, 400, 406, 410--413, 416, 420, 423,
 429--431, 433, 434, 436, 605, 606, 609,
 610, 640, 656, 667, 823, 991, 994
 <fs>, 823
 fsConstraint, 417
 fsConstraints, 429, 608, 612, 613, 825
 <fsConstraints>, 824
 fsd, 97, 110, 606, 824
 fsdDecl, 101, 110, 111, 605, 606
 <fsdDecl>, 824
 fsDecl, 608, 612, 825
 <fsDecl>, 825
 <fsDescr>, 825
 fsLib, 412, 413, 416, 426, 427, 442
 <fsLib>, 826
 full, 689, 691, 698
 full stop
 functions, 127
 function, 695
 funder, 84, 445, 576, 581
 <funder>, 826
 funders, 952
 fVal, 410, 810
 fvLib, 412, 413, 416, 423, 426, 427
 <fvLib>, 827
 fw, 478, 479, 828
 <fw>, 828

 gap, 151--153, 271, 276, 277, 457, 464, 467--469,
 473, 475, 476, 768, 775--778, 829, 830,
 959, 987, 1061
 <gap>, 829
 gen, 285, 298, 834
 <gen>, 830
gen.dictionaries, 704
gen.drama, 704, 705
gen.spoken, 705
gen.terminology, 705
gen.verse, 705
 gender, 416
 general, 41
 general base, 37
 General Base Element Set (fpi), 1008
 general entities, 27
 general entity, 36
 generic identifier, 4, 16, 18
 Generic Identifiers (fpi), 1008
 Generic Identifiers for Writing System
 Declaration (fpi), 1010
 genName, 502
 <genName>, 831
 geog, 506
 <geog>, 831
 geogName, 506, 507, 1061, 1062
 <geogName>, 831
 gi, 620, 645, 925
 <gi>, 832
 gi, 964
 given, 446, 754
 given names, 501
 global, 697, 801
global, 681
 global (class), 42, 51
 global attributes, 35
 gloss, 136, 158, 300, 378, 379, 478, 982
 <gloss>, 832
 glossary, 213
 glyph, 68, 69
 gradual, 262, 266, 1000
 gram, 291, 292, 295, 324, 329, 834
 <gram>, 833
 gramGrp, 287, 289, 294--297, 320, 683
 <gramGrp>, 834
gramInfo, 683
 graph, 517, 519, 521, 1062
 <graph>, 834
 grapheme, 821
 gray-scale, 547
 Gregorian, 88, 143, 179, 300, 327, 511, 512, 770,
 771, 773
 grep (prog), 361
 group, 54, 191, 192, 203, 204, 206, 207, 222, 236,
 552--554, 568
 <group>, 836
 group, 699
 grpPtr, 699
 guard entities, 639

 hand, 114, 463, 469, 470, 837, 1062
 <hand>, 836
 hand, 151, 152, 456, 457, 461, 462, 467, 468,
 473, 474, 694, 722, 725, 768, 775, 777,
 829, 836, 931, 959, 987
 handList, 469
 <handList>, 837
 handShift, 469--471, 837, 838
 <handShift>, 838
 head, 76, 131, 158, 159, 198, 199, 211, 242, 544,
 839, 840, 1013, 1062
 <head>, 839

headItem, 158, 159, 840
 <**headItem**>, 840
 headLabel, 158, 159, 841
 <**headLabel**>, 841
 headword, 280
 heb-hel, 860
 HEOL (unknown), 463
 heroic couplets, 228
 hi, 47, 103, 129--131, 477, 478, 932, 1062
 <**hi**>, 841
 highlighting, 128, 129
 hom, 281, 283, 285, 288
 <**hom**>, 842
 <**hour**>, 842
hqinter, 683
 hqinter (class), 55, 761
hqphrase, 683
 hqphrase (class), 53, 54
 <**hyph**>, 842
 hyphen
 functions, 127
 soft and hard, 127
 hyphenation, 100, 128
 <**hyphenation**>, 843
 HyTime, 354

 i-i (ent), 498
 id, 681, 682
 ident, 644, 645
 ident, 102, 964
 idno, 90, 92, 577, 581, 582
 <**idno**>, 843
 if, 610, 613, 973, 991
 <**if**>, 844
 iff, 613, 742
 <**iff**>, 844
 <**ihs**>, 844
 implicit linking, 346
 implicit pointing, 346
 <**imprimatur**>, 845
 imprint, 180, 181, 183, 577, 794
 <**imprint**>, 845
 in-line, 493, 732
 incident, 517
 incipits, 199, 839
Incl, 683
 Incl (class), 55
 included, 490, 998
 inclusive alternation, 388
 inDegree, 518, 882
 independent header, 575
 independent headers, 575
 index, 161, 162, 213, 786

 <**index**>, 845
 index, 162, 846
 inherit, 50
INHERITED, 705
 INHERITED (pe), 63
 initial, 521
 ink, 469, 470, 837, 838
 iNode, 526--530
 <**iNode**>, 847
 insertions
 supralinear, 152
 inst, 684
 inter, 536, 670, 690, 696
inter, 684
 inter (class), 371, 644, 761
 inter-level, 126
 inter-level elements, 53, 56
 <**interaction**>, 848
 interchange format, 9
 internal entity, 25
 internal nodes, 526
 interp, 386, 395, 400, 401, 403, 404, 406, 667, 849, 850
 <**interp**>, 849
 interpGrp, 400, 403, 404, 406
 <**interpGrp**>, 849
interpret, 684
 interpret (class), 51, 400
 interpretation, 101, 405, 570
 <**interpretation**>, 850
 interpretive, 7
 interval, 381, 976, 995
 Islamic, 88, 143, 179, 300, 327, 511, 512, 770, 771, 773
ISO-date, 706
 ISO-date (pe), 63
 iso639, 587, 589, 859
 ISO 646 subset, 634
 ISOlat1 (pe), 644
 ISOnum (entset), 127, 133
 ISOpub (entset), 128, 133
 ISOpub1 (file), 600
 it, 47
 item, 118, 157--159, 172, 580, 851, 857
 <**item**>, 850
 iterated, 261, 262, 265, 806, 855, 993
 itype, 285, 292, 834
 <**itype**>, 851

 join, 250, 252, 253, 272, 349, 352, 365, 371, 384--388, 404, 427, 442, 443, 475, 498, 656, 693, 694, 754, 768, 852--854
 <**join**>, 852

joinGrp, 384--386, 388, 854
 <joinGrp>, 854
 Julian, 88, 143, 179, 300, 327, 511, 512, 770, 771, 773

 key, 508, 679, 688, 689, 691, 698, 893
 keywords, 116, 578, 579
 <keywords>, 854
 kinesic, 264
 <kinesic>, 855
 kw, 644

 l, 97, 111, 169, 185, 223, 227, 228, 230, 249, 251, 349, 463, 656, 662, 853, 861, 873
 <l>, 856
 label, 131, 157--159, 537, 840, 841, 851, 857, 868
 <label>, 856
 label, 518, 526, 527, 529, 530, 733, 798, 804, 835, 847, 862, 882, 934, 983, 984
 label2, 518, 733, 882
 lacunaEnd, 492
 <lacunaEnd>, 857
 <lacunaStart>, 858
 lang, 300
 <lang>, 858
 lang, 681, 682
 langKnown, 579
 <langKnown>, 859
 language, 44, 75, 76, 114, 115, 578, 589, 590, 598, 682, 859--861, 1062
 <language>, 859, 860
 language corpus, 551
 langUsage, 75, 76, 114, 115, 578
 <langUsage>, 861
 lb, 166, 185, 211, 398, 654, 662, 861, 1062
 <lb>, 861
 lbl, 289, 298, 305, 306, 862
 <lbl>, 862
 lbr (ent), 600, 649, 651
 leaf, 526, 529, 530
 <leaf>, 862
 lem, 483, 485, 486, 488, 489, 492, 494, 496, 681, 694, 920
 <lem>, 863
 lemma, 399, 483, 863
 lemma, 396, 994
 length, 104, 106, 107, 954, 955
 level, 283
 level, 83, 90, 176, 283, 940, 978
 level1, 161, 846
 level2, 162, 846
 level3, 162, 846
 level4, 162, 846

 lex.fsd (file), 606
 lexical (feature), 262
 lexical view, 312
 lg, 44, 97, 111, 186, 204, 221--223, 225, 226, 228, 231, 249--251, 352, 656, 853, 873
 <lg>, 863
 lg1, 224, 228, 231
 <lg1>, 864
 lg2, 228
 <lg2>, 865
 <lg3>, 865
 <lg4>, 865
 lg5, 224
 <lg5>, 866
 liber, 711
 libraries, 409
 line, 16, 19, 20, 29, 31, 763, 899
 <line>, 866
 lines, 588, 590, 781
 linguistic annotation, 404, 570
 linguistic segment category, 396
 link, 229, 232, 273, 345, 346, 348--350, 352, 353, 365, 373, 374, 379, 380, 382, 384, 385, 393, 401, 403, 404, 407, 442, 693, 867
 <link>, 866
 linkGrp, 232, 273, 274, 349--352, 373--376, 379--382, 386, 393, 404, 407, 413, 438, 440, 442, 545, 866
 <linkGrp>, 867
 linking, 685
linking, 685
 linking (class), 644
 list, 117, 157, 172, 199, 209, 240, 409, 853, 1062
 <list>, 868
 listBibl, 172, 213
 <listBibl>, 870
 lists, 421
lists, 686
 lists (class), 55
 list type=gloss|hyperpage, 213
 loc, 700
loc, 686
 loc, 483, 732
 loc (class), 53, 55
 <locale>, 870
 location, 97, 113, 493, 674, 990
 location ladder, 354
 location pointer specification, 354
 location source, 354
 location term, 354
 location type, 354
 location value, 354

- locus, 446, 450, 753, 929
- lossless compression, 546
- lossy compression, 546
- m, 398, 399, 441, 695, 994
- <**m**>, 871
- m-class, 50
- m.bibl (class), 641
- m.bibl (pe), 53, 641
- m.demographics, 560
- m.fmchunk (unknown), 211
- m.phrase (pe), 53
- m.tpParts (unknown), 211
- macron (ent), 457
- macrosyntagm, 270
- main DTD, 35
- Main DTD Driver File (fpi), 1008
- mainLang, 836
- mandatory when applicable, 7
- marked section, 29
- marked sections, 36
- marks, 99, 567, 916
- markup, 13
- markup language, 3, 13
- matrices, 411
- mdash (ge), 128
- measure, 142, 514
- <**measure**>, 872
- measurement, 409
- measurement values, 414
- meeting, 183, 184
- <**meeting**>, 872
- mention
 - vs. use, 136
- mentioned, 136, 300, 301, 398, 477
- <**mentioned**>, 873
- mergedin, 674
- merger, 603
- met, 687
- metadata**, 686
- metadata (class), 162
- metalanguage, 13, 409
- metDecl, 111, 229, 231, 232, 874
- <**metDecl**>, 873
- meter, 415, 879, 918
- method, 97, 99, 113, 493, 566, 567, 766, 883, 990
- metNotation, 111, 687, 961
- metrical, 249
- metrical**, 687
- metrical (class), 51
- mileStone, 107, 369
- milestone, 163, 166--168, 654, 875
- <**milestone**>, 874
- milestone elements, 653
- milestones, 105
- minimization rules, 18
- minimizing, 8
- minus, 410, 411, 413, 414, 417, 428, 431
- <**minus**>, 876
- minus/, 411, 611
- <**minute**>, 876
- mix.dictionaries**, 706
- mix.drama**, 706
- mix.spoken**, 706, 707
- mix.terminology**, 707
- mix.verse**, 707
- mixed, 41
- mixed base, 37
- mixed content, 20
- mixedcontent, 1024
- mode, 389, 555, 728, 729, 756
- model groups, 19
- monogr, 174, 176, 180, 183, 184, 577, 876, 979
- <**monogr**>, 876
- monographic, 54
- monographic level
 - bibliographic, 173, 174
- month, 512
- <**month**>, 877
- <**mood**>, 877
- morpheme, 395, 396
- morphemes, 370
- morphInfo, 296
- morphInfo**, 688
- Mosaic, 88, 143, 179, 300, 327, 511, 512, 770, 771, 773
- move, 248
- <**move**>, 877
- msr, 414, 418, 419, 431, 432, 436
- <**msr**>, 878
- mutExcl, 424, 812, 989
- mutual, 562
- mutual, 562, 927
- mutually exclusive, 388, 425
- my.bib, 53, 641
- myfeat.fsd (file), 110
- myFeatures (ge), 110
- mystuff.dtd (file), 30
- myTag, 34
- n, 682
- n (variable), 357
- name, 4, 20, 31, 44, 50, 84, 129, 131, 138, 140, 178--180, 184, 239, 499--501, 504--506, 508, 509, 561, 564, 576--579, 581, 728, 742, 1026, 1062

<name>, 879
 name, 410, 587, 608, 609, 619, 624, 668, 810, 812, 899, 1000
 nameLink, 502
<nameLink>, 880
names, 688
 names, 619, 620, 624, 761, 815
 names (class), 50, 51, 139, 142, 500, 505
 namespace, 30, 31
 namespaces, 19
 name token, 1026
 naturalize, 633
 nbr, 414, 418, 419, 431, 432, 436, 610
<nbr>, 881
 ndash (ge), 128
 nested, 329
 networks, 517
 new, 262, 267, 470, 838, 944
 next, 685
 node, 517, 519, 521, 523, 733
<node>, 882
 nodes, 517
 non-floating elements, 324
 non-transmissible characters, 647
 none, 428, 429, 431, 432, 609--611, 991
<none>, 883
 nonunique, 827
 norm, 673
 normalization, 100
<normalization>, 883
 not, 754
 notation, 27, 540, 543
 notation, 300, 327, 540, 594, 809, 813, 822, 911
 notation declaration, 535
 note, 54, 62, 91, 92, 132, 147, 160, 161, 182--184, 255, 289, 307, 309, 324, 344, 346, 348--350, 352, 358, 359, 400, 445, 446, 449, 457--459, 473, 478, 485, 488, 595, 597, 603, 637, 639, 640, 821, 997
<note>, 884, 885
 notes, 160, 213
notes, 689
 notes (class), 55
 notesStmt, 91, 92, 577, 582
<notesStmt>, 887
 noun-ness, 406
 null, 422, 424, 428, 431, 435, 887
<null>, 887
 num, 141, 142, 888
<num>, 887
 number, 285, 416, 834, 1026
<number>, 888
 number (var), 165
 numbered, 193
 number token, 1026
 numeric, 409
 numeric value, 71
 numeric values, 414
 occasion, 512--514
<occasion>, 889
 occupation, 578, 579
<occupation>, 889
 occurrence indicator, 19
 occurs, 102, 964
 offset, 514
<offset>, 890
 ofig, 325, 326, 890, 974
<ofig>, 890
 old, 470, 838
om.RO, 707
 om.RO (pe), 645
om.RR, 707, 708
 om.RR (pe), 645
 opener, 198, 200, 1062
<opener>, 891
 opt, 674
 optional, 7
 ord, 526, 527, 847, 934, 983
 order, 518, 526, 835, 983
 ordered, 526
 ordered hierarchy of content objects, 21
 ordered pairs, 517
 ordered tree, 526
 oRef, 302, 310, 312, 897
<oRef>, 891
 org, 140, 577, 880
 org, 410, 608, 609, 675, 810, 812
 orgDivn, 510
<orgDivn>, 892
 orgName, 509, 728, 1062
<orgName>, 893
 orgTitle, 509
<orgTitle>, 894
 orgType, 510
<orgType>, 895
 orig, 147, 149, 150, 926
<orig>, 895
 orig, 149, 674, 926
 origin, 381, 975
 orth, 318, 680
<orth>, 896
 otherForm, 324--326, 329, 330, 699, 780, 834, 890, 891, 897, 974
<otherForm>, 897

- outDegree, 518, 526, 527, 847, 882, 934
- oVar, 302, 311, 312
- <oVar>, 897
- overlap, 272, 381
- p, 42--44, 54, 62, 76, 103, 125--127, 196, 346, 372, 387, 544, 564, 576, 638--640, 898, 1013
- <p>, 898
- p (ge), 62
- p (pe), 639
- p-underbar (ent), 457
- p4chap2.xml (file), 26
- packing, 630
- page, 899, 991, 993
- <page>, 899
- paraContent**, 708
- paraContent (pe), 58, 638
- parameter entities, 27, 35
- parameter entity, 36
- parameter entity declarations, 36
- parameter entity references, 36
- parameterized, 637
- paraphasia, 271
- parent, 526
- parent, 526, 527, 847, 862
- parentheses
 - functions, 128
- parents, 620
- <parents>, 899
- parser, 14
- <part>, 899
- part, 185, 248, 369, 676, 695, 719, 856
- partially ordered tree, 526
- particDesc, 559, 579
- <particDesc>, 900
- particGroup, 579
- participant, 559, 579
- participant description, 134
- particLinks, 559, 561
- <particLinks>, 900
- particRelations, 579
- passive, 562
- passive, 557, 562, 848, 927
- path, 518
- pattern, 97, 111, 874
- pause, 263, 264
- <pause>, 901
- pb, 103, 156, 166, 209, 478, 654, 662, 901, 1062
- <pb>, 901
- <per>, 902
- per, 415, 918
- per (ge), 146
- perf, 247, 255, 878, 966
- performance, 239--241, 247, 255, 878, 966
- <performance>, 902
- performance texts, 187
- period
 - functions, 127
- persName, 50, 447, 500, 501, 505, 754, 1061, 1062
- <persName>, 903
- persname, 1062
- person, 264, 499, 559--561, 564, 673, 880, 942
- <person>, 904
- personal name, 499
- personGrp, 264, 559, 560, 564, 673, 942
- <personGrp>, 905
- personPart**, 689
- personPart (class), 51, 60, 500, 502
- persPart, 499
- phr, 396, 397, 399, 441, 442, 695
- <phr>, 906
- phrase, 53, 395, 396, 684
- phrase**, 690, 708
- phrase (class), 53, 761
- phrase (pe), 58
- phrase-level, 126, 283
- phrase-level elements, 53, 56
- phrase.seq, 708
- phrase.seq**, 708
- phrase.seq (pe), 58
- phrase.verse**, 690
- phrase level, 398
- phrases, 370
- place, 184, 754, 880
- place, 91, 151, 160, 183, 286, 308, 326, 456, 461, 478, 722, 725, 828, 885, 997
- placeName, 50, 504--507, 1061, 1062
- <placeName>, 906
- placePart, 499
- placePart**, 690
- placePart (class), 51, 60, 505
- plural, 416
- plural noun, 405
- plus, 410, 411, 413, 414, 417, 428, 431
- <plus>, 907
- plus/, 411, 611
- poem, 16, 19, 20, 22--24, 29
- poemRef, 24
- pointer, 344, 702
- pointer**, 691
- pointer (class), 50, 51, 154, 343, 345, 349, 353, 384, 388
- pointer element, 344

pointerGroup, 692
 pointerGroup (class), 343, 349
 pointers
 bibliographic, 171
 pos, 285, 315, 834
 <pos>, 907
 <postBox>, 908
 <postCode>, 908
 pRef, 311, 312
 <pRef>, 908
 preface, 208
 prefix, 31
 preliminaries, 210
 <preparedness>, 909
 prev, 685
 principal, 84, 445, 576, 581
 <principal>, 909
 probabilistic weights, 391
 processing instructions, 30
 profileDesc, 79, 89, 92, 94, 113--115, 469, 555, 559, 575, 578
 <profileDesc>, 910
 project.dtd (file), 47
 project.ent (file), 47
 projectDesc, 82, 98, 578, 583
 <projectDesc>, 910
 prolog, 32, 80, 1020
 prologue, 237
 <prologue>, 911
 pron, 31, 300, 302, 314, 318, 320
 <pron>, 911
 ptr, 154--156, 183, 209, 305--307, 324, 330, 332, 336, 337, 344--346, 348, 352, 353, 365, 370, 406, 620, 624, 625, 753, 939, 1002
 <ptr>, 912
 publicationStmnt, 88, 92, 119, 120, 368, 577, 767, 1062
 <publicationStmnt>, 913
 publisher, 88, 140, 180, 184, 577, 581
 <publisher>, 913
 pubPlace, 180, 577, 581
 <pubPlace>, 914
 purpose, 557
 <purpose>, 914
 pVar, 311, 312
 <pVar>, 915

 q, 43, 62, 126, 128, 132, 133, 199, 201, 301, 358, 387, 640, 655, 915
 <q>, 915
 qb, 655
 qe, 655
 quatrain, 44

 question mark
 functions, 127
 quotation, 100, 133
 <quotation>, 916
 quotation marks
 functions, 128
 quote, 133, 199, 201, 208, 301, 348
 <quote>, 917

 raster image, 546
 rate, 409, 414, 418, 419, 431, 432, 436
 <rate>, 918
 rate values, 414
 rbr (ent), 649
 rcdata, 1024
 rdg, 449, 453, 460, 465, 466, 483, 485, 486, 488, 489, 492, 496, 498, 681, 694
 <rdg>, 919
 rdgGrp, 484, 486--489, 694, 920, 1062
 <rdgGrp>, 920
 re, 283, 289, 309, 921, 1062
 <re>, 920
readings, 693
 readings (class), 484, 486
 real, 687
 reason, 150, 151, 457, 467, 468, 473, 829, 958, 986
 recommended, 7
 recommended when applicable, 7
 recording, 95, 96, 578, 582
 <recording>, 923
 recordingStmnt, 95, 578, 582
 <recordingStmnt>, 924
 ref, 154--156, 183, 184, 305--307, 324, 330, 332, 339, 344, 345, 348, 352, 353, 366, 378, 545, 1002
 <ref>, 924
 reference, 545
 references
 bibliographic, 171
 referring string, 138, 499
 refsDecl, 82, 104, 105, 169, 356, 578, 583, 659, 661
 <refsDecl>, 925
refsys, 694
 refunit, 104, 106, 955
 reg, 147, 149, 150, 263, 926
 <reg>, 926
 reg, 149, 508, 509, 688, 689, 691, 698, 892--895
 region, 505, 506, 766, 926
 <region>, 926
 regularization, 149

rel, 410, 414--416, 810, 823, 879, 881, 918, 956, 960
 related entries, 285
 relation, 561, 579, 901
 <relation>, 927
 relationship, 562
 relative place names, 507
 relative temporal expression, 512
 release authority, 88
 <remarks>, 928
 rend, 682
 render, 102, 964
 rendition, 44, 102, 103, 315, 964
 <rendition>, 928
 rendition characters, 314
 rendition text, 313, 314
 replacement text, 957
 required, 7
 residence, 579
 <residence>, 928
 resolution, 546
 resolved, 637
 resp, 84, 85, 95, 178, 576--578, 667
 <resp>, 929
 resp, 91, 145, 147, 149, 151, 152, 160, 286, 308, 326, 450, 455--457, 461, 462, 466--468, 470, 473, 477, 677, 684, 691, 694, 719, 722, 725, 727, 765, 767, 775, 776, 807, 829, 837, 838, 885, 895, 926, 930, 931, 944, 949, 958, 986, 996
 respons, 445, 450, 457, 473, 930
 <respons>, 929
 respStmt, 84, 86, 95, 118, 120, 178, 182--184, 445, 450, 580, 930, 1062
 <respStmt>, 931
 restore, 466, 467, 932
 <restore>, 931
 result, 385, 852, 854
 reversible, 74
 revisionDesc, 79, 94, 117, 119, 445, 575, 580, 584
 <revisionDesc>, 932
 revision history, 79
 Revolutionary, 88, 143, 179, 300, 327, 511, 512, 770, 771, 773
 rhyme, 687
 role, 185, 241, 244--246, 503, 576, 577, 748, 878, 933, 948
 <role>, 933
 role, 176, 536, 560, 752, 796, 904, 905, 935
 roleDesc, 241, 748
 <roleDesc>, 933
 roleName, 503, 933
 <roleName>, 933
 Roman, 88, 143, 179, 300, 327, 511, 512, 770, 771, 773
 root, 526, 528--530
 <root>, 934
 root element, 17, 1023
 row, 752
 <row>, 935
 rows, 327, 536, 752, 962
 rs, 138, 180, 500, 501, 504, 505, 508, 509, 561
 <rs>, 935
 s, 100, 126, 271, 371, 396, 399, 406, 437, 640, 936
 <s>, 936
 s-unit, 395
 s-units, 370, 371, 396
 salute, 199
 <salute>, 937
 sameAs, 685
 sample, 676
 sampling, 197, 208
 samplingDecl, 98, 578, 583
 <samplingDecl>, 937
 sb, 823
 scheme, 116, 560, 561, 620, 622, 624, 625, 751, 760, 804, 855, 889, 946
 scope, 852
 scribe, 469, 836
 script, 591
 <script>, 937
 script, 262, 999
 scriptStmt, 95, 578, 582
 <scriptStmt>, 938
 second, 415, 918
 <second>, 938
 secondLine, 19, 20
 seg, 97, 100, 111, 126, 212, 225--228, 230, 232, 243, 248, 249, 263, 271, 346, 352, 369--374, 378, 379, 381, 383, 395, 396, 398, 403, 404, 656, 871, 873, 936, 938, 939, 994
 <seg>, 938
 seg, 695
 seg (class), 51, 53, 55, 369, 396
 segmentation, 100, 271, 371, 397, 695
 <segmentation>, 940
 segments, 271
 select, 686
 sense, 283, 285, 287, 288, 295, 297, 1062
 <sense>, 940
 sentence, 395, 396
 sentences, 396
 seq, 708

series, 54, 82, 90, 174, 176, 182--184, 578, 941, 979, 1062
 <series>, 940
 series level
 bibliographic, 173, 174
 seriesStmt, 90, 182, 577
 <seriesStmt>, 941
 set, 236, 237, 409
 <set>, 941
 sets, 421
 setting, 114, 555, 564, 942, 943, 1062
 <setting>, 942
 settingDesc, 82, 563, 580
 <settingDesc>, 942
 settle, 506
 settlement, 505, 926
 <settlement>, 943
 sex, 560, 904, 905
 SGML Declaration, 32
sgmlKeywords, 696
 sgmlKeywords (class), 55
 shift, 264, 266, 267, 272, 276
 <shift>, 943
 shy (ge), 127
 siblings, 360
 sic, 147, 148, 153, 277, 459, 460, 464, 465, 472, 765, 945
 <sic>, 944
 sic, 147, 455, 764
 sigil, 490, 998
 signed, 200
 <signed>, 945
 since, 381, 995
 single, 887
 singletons, 421
singleVal, 696
 singular, 416
 singular noun, 405
 situational parameters, 113, 554, 555, 557, 568, 973
 size, 518, 560, 835, 905
 soCalled, 131, 133, 135
 <soCalled>, 946
 <socecStatus>, 946
 socecstatus, 578, 579
 social, 130, 784
 sort, 690
 sorting, 432
 <sound>, 947
 source, 99, 468, 567, 883, 959
 sourceDesc, 92--94, 119, 577, 582
 <sourceDesc>, 948
 sp, 189, 237, 245--247, 251, 561, 952
 <sp>, 948
 space, 476, 477
 <space>, 949
 space, 130, 784
 span, 132, 161, 233, 386, 395, 400--404, 478, 656, 951
 , 950
 spanGrp, 400--404
 <spanGrp>, 951
 speaker, 245, 246, 559, 949
 <speaker>, 952
 specialPara, 670
specialPara, 708
 specialPara (pe), 58
 speech management, 277
 split, 673
 sponsor, 84, 445, 576, 581
 <sponsor>, 952
 sponsors, 827
 stage, 189, 247, 248, 253, 254, 942
 <stage>, 952
 stageDirection, 235
stageDirection, 696
 stageDirection (class), 55
 stanza, 16, 19, 29
 stanzaic, 19
 start, 700
 start-tag, 16
 state, 107
 <state>, 953
 statement of responsibility, 83, 176, 736, 796
 statements of responsibility, 83, 84
 states, 521
 status, 88, 99, 151, 456, 462, 552, 566, 737, 766, 775, 777, 968
 stdVals, 101, 211, 513, 698, 770--772, 792, 888, 974, 977
 <stdVals>, 954
 step, 105, 106, 169, 170, 661, 955
 <step>, 955
 step (nonterm), 357, 358
 Stephanus, 875
 steps, 105
 steps (nonterm), 357
 stichic, 19
 str, 414, 419, 426, 431--433, 435, 436, 612
 <str>, 956
 <street>, 956
 <stress>, 957
 string, 409, 625
 <string>, 957

string, 594, 819
 string substitution, 15, 26
 string values, 414
 structured values, 420
 style, 469, 470, 836, 838
 stylesheet, 14
 <subc>, 958
 subjectDecl, 82
 substring, 433
 subsume, 433, 613, 742, 763
 subsumed, 610, 994
 subsumes, 610, 844
 subsumption, 430
 of feature structures, 613
 subtype, 226, 249, 369, 701, 939
 sup-hook (ent), 457
 superEntry, 280, 281, 284, 288
 <superEntry>, 958
 supplied, 148, 152, 153, 467--469, 473--475, 477, 722, 768, 776, 778, 830, 958, 959, 987
 <supplied>, 958
 supralinear insertions, 152
 surname, 501, 502
 <surname>, 960
 <syll>, 960
 sym, 414, 416, 417, 419, 431, 612
 <sym>, 960
 symbol, 111, 874, 961
 <symbol>, 961
 symbolic, 409
 symbolic values, 412, 414, 827
 synch, 685
 synchronization, 373
 SYSTEM, 957
 system entity, 25

t (ent), 602
 table, 31, 324, 536, 1062
 <table>, 962
 tables
 and lists, 158
 tag, 3, 5
 <tag>, 963
 tagDoc, 619--622, 985
 <tagDoc>, 963
 tag omissibility, 1060
 tagsDecl, 102, 103, 578
 <tagsDecl>, 964
 tag sets, 35
 tagUsage, 102, 103, 247, 249, 314, 315, 449
 <tagUsage>, 964
 target, 345
 target, 91, 116, 136, 154, 160, 286, 300, 305, 306, 308, 326, 327, 345, 446, 450, 488, 620, 624, 625, 680, 751, 753, 832, 885, 912, 924, 929, 996
 targetEnd, 91, 160, 286, 308, 327, 886
 targets, 345, 385, 388, 728, 852, 866
 targFunc, 693
 targOrder, 692
 targType, 692
 taxonomy, 108, 109, 116, 558, 560, 561, 578, 751, 760, 855, 889, 946
 <taxonomy>, 965
 TDBs, 323
 tech, 254--256
 <tech>, 965
 TEI, 617, 963
 tei, 632
 tei, 617, 619, 734, 832
 TEI-conformant, 629
 TEI.2, 19, 40, 43, 45, 54, 165, 257, 333, 354, 552--554, 598, 682
 <TEI.2>, 966
 tei.2, 19, 967
 TEI.analysis, 395
 TEI.analysis, 708
 TEI.analysis (pe), 38, 667, 668, 684, 744, 759, 849, 850, 871, 906, 936, 939, 950, 951, 994, 1007
 TEI.analysis.dtd, 708
 TEI.analysis.ent, 709
 TEI.back.dtd, 709
 TEI.back.dtd (pe), 38
 TEI.certainty, 709
 TEI.certainty (pe), 38, 445, 755, 930, 1007
 TEI.certainty.dtd, 709
 TEI.core (pe), 48
 TEI.core.dtd, 709
 TEI.core.dtd (pe), 37
 TEI.core.ent (pe), 36
 TEI.corpus, 709
 TEI.corpus (pe), 38, 555, 721, 728, 742, 756, 764, 778, 795, 797, 811, 816, 848, 859, 871, 890, 900, 904, 905, 909, 915, 927, 929, 942, 947, 973, 1007
 TEI.corpus.dtd, 709
 TEI.dictionaries, 710
 TEI.dictionaries (pe), 37, 279
 TEI.dictionaries.dtd, 710
 TEI.dictionaries.ent, 710
 TEI.dictionary (pe), 674, 675, 679, 680, 683, 688, 747, 763, 774, 781, 798, 801, 802, 805, 819, 830, 834, 842, 851, 858, 862, 877,

888, 892, 896, 897, 902, 907, 908, 912,
 915, 922, 940, 957, 958, 960, 982, 983,
 988, 1002, 1007
 TEI.drama, 235
TEI.drama, 710
 TEI.drama (pe), 37, 670, 677, 696, 721, 746--749,
 803, 878, 903, 911, 933, 942, 948, 966,
 992, 1007
TEI.drama.dtd, 710
TEI.drama.ent, 710
 tei.dtd (file), 34
TEI.elementClasses, 710
 TEI.elementClasses (pe), 53, 62
TEI.elementNames, 711
 TEI.elementNames (pe), 61, 62
 tei.elementNames (pe), 641
TEI.extensions.dtd, 711
 TEI.extensions.dtd (pe), 30, 39, 40, 47, 61, 639,
 642, 643
TEI.extensions.ent, 711
 TEI.extensions.ent (pe), 39, 40, 47, 61, 276,
 639--642
 TEI.figures, 535
TEI.figures, 711
 TEI.figures (pe), 38, 752, 813, 815, 822, 935, 962,
 1008
TEI.figures.dtd, 711
TEI.figures.ent, 712
TEI.front.dtd, 712
 TEI.front.dtd (pe), 38
TEI.fs, 712
 TEI.fs (pe), 38, 409, 669, 671, 679, 696, 731, 742,
 764, 780, 811--813, 816, 823--827, 844,
 876, 879, 881, 883, 887, 907, 919, 956,
 961, 967, 973, 986, 990, 991, 994, 1008
TEI.fs.dtd, 712
TEI.general, 712
 TEI.general (pe), 38, 1008
TEI.general.dtd, 712
 TEI.header (pe), 48
TEI.header.dtd, 712
 TEI.header.dtd (pe), 37
 TEI.keywords (pe), 62, 64
TEI.keywords.ent, 713
TEI.linking, 713
 TEI.linking (pe), 38, 39, 344, 685, 686, 693, 702,
 719, 729--731, 853, 854, 866, 867, 976,
 996, 1001, 1002, 1008
TEI.linking.dtd, 713
 TEI.linking.dtd (pe), 39
TEI.linking.ent, 713
 TEI.linking.ent (pe), 39
TEI.mixed, 713
 TEI.mixed (pe), 38, 1008
TEI.mixed.dtd, 713
 TEI.names.dates, 499
TEI.names.dates, 714
 TEI.names.dates (pe), 38, 690, 691, 698, 723, 743,
 766, 774, 783, 818, 831, 832, 842, 876,
 877, 880, 889, 890, 892--895, 903, 906,
 927, 933, 938, 943, 960, 978, 995, 1003,
 1008
TEI.names.dates.dtd, 714
TEI.names.dates.ent, 714
TEI.nets, 714
 TEI.nets (pe), 38, 517, 733, 798, 805, 818, 835,
 847, 863, 883, 934, 984, 1009
TEI.nets.dtd, 714
 TEI.prose, 219
TEI.prose, 714
 TEI.prose (pe), 30, 37, 38, 1009
TEI.prose.dtd, 715
 TEI.prose.dtd (pe), 38
 TEI.prose.ent (pe), 38
TEI.singleBase, 715
 TEI.singleBase (pe), 62
TEI.spoken, 715
 TEI.spoken (pe), 37, 257, 671, 701, 806, 855, 901,
 944, 986, 993, 1000, 1009
TEI.spoken.dtd, 715
TEI.spoken.ent, 715
TEI.structure.dtd, 715
 TEI.structure.dtd (pe), 38
TEI.terminology, 716
 TEI.terminology (pe), 38, 332, 670, 671, 674,
 698--700, 727, 780, 834, 891, 897, 970,
 971, 974, 1009
TEI.terminology.dtd, 716
TEI.terminology.ent, 716
TEI.textcrit, 716
 TEI.textcrit (pe), 38, 481, 681, 694, 732, 858, 863,
 919, 920, 996--999, 1009
TEI.textcrit.dtd, 716
TEI.textcrit.ent, 716
TEI.transcr, 717
 TEI.transcr (pe), 38, 453, 726, 768, 778, 828, 837,
 838, 932, 950, 959, 1009
TEI.transcr.dtd, 717
TEI.transcr.ent, 717
 TEI.verse, 221
TEI.verse, 717
 TEI.verse (pe), 37, 671, 678, 688, 690, 745, 856,
 864--866, 1009
TEI.verse.dtd, 717

TEI.verse.ent, 717
TEI.wsdNames, 717
TEI.XML, 718
 TEI.XML (PE), 1060
 TEI.XML (pe), 63, 644
 tei2.dtd (file), 33, 37, 45--49, 53, 61, 64, 1008
 TEI abstract model, 631, 635
 teiana2.dtd, 395
 teiana2.dtd (file), 38, 1007
 teiana2.ent, 395
 teiana2.ent (file), 38, 1007
 TEIback2.dtd, 214
 teiback2.dtd (file), 38, 1007
 teicert2.dtd (file), 38, 1007
 teiclas2.dtd (file), 57
 teiclas2.ent (file), 45, 50, 51, 53, 54, 1007
 TEI conformance, 9, 629, 635
 teicore2.dtd (file), 37, 1007
 teicorp2.dtd (file), 38, 1007
 teiCorpus, 552, 966
 teiCorpus.2, 45, 552, 553, 555, 598
 <teiCorpus.2>, 967
 teidict2.dtd (file), 37, 281, 282, 1007
 teidict2.ent (file), 37, 281, 1007
 teidram2.dtd (file), 37, 1008
 teidram2.ent (file), 37, 1008
 TEI ElementClasses (fpi), 1007
 TEI extended pointer mechanism, 343
 teifig2.dtd (file), 38, 1008
 teifig2.ent (file), 38, 1008
 TEIform, 697
TEIform, 696
 TEIform, 697
 TEIform (class), 42
 TEIfron2.dtd, 213
 teifron2.dtd (file), 38, 1007
 teifs2.dtd (file), 38, 1008
 teiFsd2, 607, 609
 <teiFsd2>, 967
 teifsd2.dtd (file), 36, 607, 1008
 teigen2.dtd (file), 38, 41, 1008
 teigis.ent (file), 640, 641
 teigis2.ent (file), 45, 62, 1008
 teihdr2.dtd (file), 37, 81, 1007
 TEI header, 79
 teiHeader, 79--82, 103, 165, 183, 257, 259, 333, 552, 553, 575, 576, 605, 608, 632, 642, 845
 <teiHeader>, 968
 TEI Header (fpi), 1007
 TEI interchange-conformant document, 630
 TEI interchange document, 630
 TEI interchange form, 647
 TEI interchange format, 629, 630
 teikey2.dtd (file), 64
 teikey2.ent (file), 1008
 TEI Keywords (fpi), 1008
 teilink2.dtd (file), 38, 39, 344, 1008
 teilink2.ent (file), 38, 39, 343, 1008
 teilite.dec (file), 643
 teilitex.dtd (file), 645
 teilitex.ent (file), 643
 TEI local-processing-conformant document, 629
 TEI local-processing document, 629
 TEI local-processing form, 647
 TEI local processing format, 629
 teimix2.dtd (file), 38, 41, 1008
 teind2.dtd (file), 38, 499, 1008
 teind2.ent (file), 38, 499, 1008
 teinet2.dtd (file), 38, 1009
 TEI packed format, 648
 teipl2.dtd (file), 1010
 teipros2.dtd (file), 37, 38, 1009
 teipros2.ent (file), 38
 TEI recommended practice, 630, 635
 teishd2.dtd (file), 36, 584, 1009
 teispok2.dtd (file), 37, 258, 1009
 teispok2.ent (file), 37, 257, 1009
 teistr2.dtd, 214
 teistr2.dtd (file), 38, 1007
 teitc2.dtd (file), 38, 481, 1009
 teitc2.ent (file), 38, 481, 1009
 teite2f.dtd (file), 333, 335, 1009
 teite2f.ent (file), 38
 teite2n.dtd (file), 38, 333, 334, 1009
 teiterm2.dtd (file), 38, 333, 1009
 teiterm2.ent (file), 38, 333, 1009
 teitran2.dtd (file), 38, 1009
 teitran2.ent (file), 38, 1009
 teitsd2.dtd (file), 36, 618, 1009
 teivers2.dtd (file), 37, 1009
 teivers2.ent (file), 37, 1009
 teiwsd2.dtd (file), 36, 588, 1009
 tempexp, 499
temporalExpr, 697
 temporalExpr (class), 51, 512
 term, 28, 43, 75, 136, 158, 300, 323--325, 329--332, 339, 359, 365, 378, 379, 477, 642, 699, 780, 833, 834, 970, 974
 <term>, 969
 termEntry, 323--325, 329--333, 337, 339, 365, 699, 726, 780, 974
 <termEntry>, 970, 971
 terminal, 111, 961

- term information group, 329
- Terminological Databases (Flat) (fpi), 1009
- Terminological Databases (Nested) (fpi), 1009
- terminological dictionaries, 323
- terminological entries, 323
- terminological entry, 323
- terminology, 698
- terminology**, 698, 699
- terminology (class), 51, 333
- terminology databases, 323
- terminologyInclusions**, 700
- terminologyInclusions (class), 333
- terminology interchange format, 323
- terminologyMisc**, 700
- terminologyMisc (class), 333
- termtags**, 718
- termtags (ent), 333
- text, 38, 41, 55, 80, 102, 103, 162, 165, 191, 192, 204, 207, 208, 222, 236, 250, 257, 259, 333, 544, 552--554, 568, 598, 632, 642, 661--663, 964
- <**text**>, 971
- text-type, 558
- text-types, 557
- text capture, 7
- textClass, 109, 115, 561, 578
- <**textClass**>, 972
- text components, 53
- text creation, 7
- textDesc, 108, 109, 555, 558, 578, 750
- <**textDesc**>, 973
- text profile, 79
- texts
 - as organizing unit for spoken material, 259
- then, 613, 764, 844
- <**then**>, 973
- TIF, 323
- tig, 324--326, 329--332, 337, 890, 971, 974
- <**tig**>, 974
- time, 144, 514
- <**time**>, 974
- time, 130, 784
- timed**, 700
- timed (class), 51, 257, 267
- timeline, 270, 272--274, 381, 382, 995
- <**timeline**>, 975
- <**timeRange**>, 976
- timeStruct, 513, 514, 1062
- <**timeStruct**>, 978
- title, 16, 19, 84, 129, 176, 184, 477, 576--578, 581, 582, 979
- <**title**>, 978
- title level=m|hyperpage, 184
- titlePage, 211
- <**titlePage**>, 980
- titlePart, 1062
- <**titlePart**>, 980
- titleStmt, 81, 83, 85, 119, 445, 565, 576, 581
- <**titleStmt**>, 981
- tla (ent), 33
- tns, 317
- <**tns**>, 981
- to, 104, 106, 143, 400, 461, 462, 483, 518, 702, 725, 732, 733, 771, 777, 950, 955, 977
- top-level constituents, 283, 285
- tpParts**, 701
- tpParts (class), 60
- tpParts (unknown), 211
- tr, 296--299
- <**tr**>, 982
- trace, 532
- trailer, 198, 199, 839
- <**trailer**>, 982
- trans, 287, 289, 296, 297
- <**trans**>, 983
- trans, 261, 263, 985
- transliterate, 74
- transmission character set, 630, 633, 634, 647
- transmission entity set, 630, 647
- tree, 526, 528--530, 532, 804, 847, 934
- <**tree**>, 983
- trees, 517
- triangle, 529, 530, 532, 533
- <**triangle**>, 984
- trochaic substitution, 229
- true, 428, 731
- <**tsd**>, 985
- turns, 258
- type, 606
- type, 80, 83, 84, 86, 88, 90, 91, 94, 97, 110, 130, 132, 136, 138, 140, 141, 145, 151, 156, 157, 160, 162, 176, 180, 182, 185, 198, 210, 240, 246, 254, 255, 261, 262, 264, 266, 285, 286, 289--291, 294, 295, 298, 300, 301, 303, 305--307, 310, 324--326, 410, 412, 414, 415, 455, 456, 461, 462, 466, 473, 482, 500, 505, 508, 509, 511, 518, 530, 552, 556, 557, 561, 564, 567, 606, 608, 617, 619, 621, 623, 625, 675, 678, 684, 689, 691, 694, 695, 698, 701, 720, 725, 726, 732, 740, 745, 748, 760, 763, 764, 767, 775, 776, 778, 780, 783, 786, 794, 800, 808, 811, 816, 818, 819, 823--828, 831, 833, 835, 839, 843, 848,

851, 862, 868, 872, 873, 878, 879, 881, 882, 885, 887, 890, 892--897, 899, 901, 903, 909, 914, 916, 919, 920, 923, 927, 931, 935, 947, 952, 965, 968--971, 974, 979, 980, 988, 989, 997, 999, 1001

typed, 701
typed (class), 51, 369
typed path, 165
types, 409
typographic view, 312

u, 259, 263, 266, 381, 408, 985, 986, 1062
<**u**>, 985
ucs-4, 594, 821
un-numbered, 193
uncertain, 409, 428, 431, 434, 435
<**uncertain**>, 986
unclean modifications, 639
unclear, 151--153, 276, 277, 381, 445, 449, 464, 468, 469, 473--476, 768, 776--778, 830, 959, 986, 987
<**unclear**>, 986
underspecified, 529
underspecifying, 409, 429
undirected, 517
unique, 827
unit, 104, 107, 166, 381, 415, 875, 879, 918, 954, 975, 995
unitary, 191
unitary texts, 551
universal character set, 67
unknown, 610
unparsed, 27
untyped path, 165
usage, 114, 617, 621, 734, 860, 963
use
 vs. mention, 136
usg, 284, 289, 298, 300, 303--305, 317, 862
<**usg**>, 988
utterance, 263

val, 622
<**val**>, 988
valDefault, 429
valDesc, 622
<**valDesc**>, 989
valid, 17
validating, 629
valList, 622
<**valList**>, 989
valRange, 417, 428
vAlt, 417, 424--427, 431, 610, 612, 826, 994
<**vAlt**>, 989

value, 88, 111, 117, 141, 143, 179, 211, 300, 327, 400, 414, 415, 511, 518, 526, 527, 530, 564, 674, 697, 770, 792, 798, 804, 847, 849, 862, 878, 881, 882, 888, 918, 934, 950, 960, 961, 974, 984

values, 410
valueTo, 414, 415, 879, 881, 918
variantEncoding, 113, 493
<**variantEncoding**>, 990
variation, 482
various (var), 264
varSeq, 694
vDefault, 611
<**vDefault**>, 991
vector image, 546
verse (var), 107
versePhrases (class), 55
version, 718
version control, 79
vertices, 517
<**view**>, 991
virtual copy, 383
virtual element, 383
virtual joins, 653
vocabularies, 323
vocal, 263, 264
<**vocal**>, 992
vocal events
 in transcription of speech, 263
vol, 991, 993
<**vol**>, 993
vRange, 428--431, 434, 610, 994
<**vRange**>, 994

w, 398, 399, 441, 695, 994
<**w**>, 994
wdgis2.ent (file), 1010
web, 349
week, 512
<**week**>, 994
weights, 389, 728
well-formed, 17
when, 267, 272, 273, 381, 382, 995, 1062
<**when**>, 995
where, 246, 878
whitespace, 18
who, 132, 185, 244, 246, 261--266, 302, 564, 806, 855, 878, 901, 916, 942, 943, 948, 985, 992, 999
wit, 489, 490, 998, 1062
<**wit**>, 996
wit, 488, 680, 693, 996
witDetail, 485, 488, 489, 997

- <witDetail>**, 996
- witEnd, 491, 998
- <witEnd>**, 997
- witList, 489--492, 497, 694, 997, 998
- <witList>**, 998
- witness, 490--492, 680, 693, 998, 999
- <witness>**, 998
- witnesses, 481
- witStart, 491, 492, 998
- <witStart>**, 999
- word, 395, 396
- word features, 412, 816
- word level, 398
- words, 370
- word structure, 410, 823
- word structure library, 412, 826
- writing, 259, 263, 264, 266, 1000
- <writing>**, 999
- writing system, 114, 587
- writing system declaration, 114, 587, 860
- writingSystemDeclaration, 587, 588
- <writingSystemDeclaration>**, 1000
- writing systems, 75
- wScale, 389, 728, 729
- wsd, 114, 860
- wsdFig, 718
- X-bar, 531
- x-dot entities, 52, 641
- x.data (pe), 34
- x.phrase (pe), 47
- xlink, 353
- XML declaration, 32
- XML schema, 18
- xPointer**, 702
- xPointer (class), 51, 353
- xptr, 154, 305, 324, 346, 353, 354, 365--368, 376, 378, 382, 387, 388, 447, 545, 661, 693, 753, 955
- <xptr>**, 1001
- xr, 289, 305--307
- <xr>**, 1001
- xref, 154, 305, 324, 346, 353, 354, 365--368
- <xref>**, 1002
- xxx (class), 36, 37
- year, 512
- <year>**, 1003
- younger siblings, 360
- zone, 511, 512, 975, 978

